

OPTIMAL PRINT AND SCAN PRODUCTIVITY FROM A COLOUR MULTI-FUNCTION PRINTER WITH DIRECT CLOUD CONNECTIVITY



i-SENSYS MF750 Series

Designed for small businesses or individuals, the Canon i-SENSYS MF750 Series delivers optimised productivity for printing and scanning.

Ultimate productivity

Work faster by printing and scanning at speeds of up to 33ppm and 100ipm* (A4), as well as utilising a wide range of media handling with the ability to scan small documents such as cheques and receipts

Built-in cloud connectivity

Centralise print management with support for Universal Print by Microsoft and access documents directly from cloud storage services: Google Drive, DropBox and OneDrive

*MF754Cdw only



ULTIMATE PRODUCTIVITY



INTUITIVE USER EXPERIENCE



BUILT-IN CLOUD CONNECTIVITY



RELIABLE SECURITY

Intuitive user experience

Streamline workflows with drag and drop icons to customise the display and create one-touch shortcut buttons with Application Library apps

Reliable security

Advanced system verification protects the device from hacking and virus threats as soon as you start up, while Secure PIN restricts access to sensitive documents

Canon

RANGE FEATURE STEP UP CHART



i-SENSYS MF752Cdw



i-SENSYS MF754Cdw

Fax		●
A4 print speed	33ppm	33ppm
Display	12.7cm colour touch screen	12.7cm colour touch screen
Secure PIN print	●	●
Automatic duplex printing	●	●
Built-in cloud connectivity	●	●
Application Library	●	●
Single pass duplex scan	●	●

OPTIONAL ACCESSORIES

PAPER FEEDER PF-K1

- Additional 550 sheet paper cassette, 1 unit can be added to main unit.

Telephone 6 Kit (for MF754Cdw)

- Optional telephone handset for fax function.

TECHNICAL SPECIFICATIONS

i-SENSYS MF750 Series

Machine type	Colour Laser All-in-One	Media sizes	Cassette (Standard): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 96 x 148 mm Max. 216.0 x 356.0 mm.
Available functions	MF752Cdw: Print, Copy and Scan MF754Cdw: Print, Copy, Scan and Fax		Multi-purpose tray: A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 360.0 mm. Cassette (Optional): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 216.0 x 356.0 mm.
PRINTER		Media weights	ADF: A4, A5, A6, B5, Legal, Letter, Statement, Custom sizes: Min. 48 x 85.0 mm Max 216.0 x 355.6 mm
Print speed	Single sided : Up to 33 ppm (A4) Up to 60 ppm(A5-Landscape) Double sided : Up to 29.5 ipm (A4)	Double sided printing	Cassette (standard and optional): 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper) Multi-purpose tray: 60 to 176 g/m ² (Up to 200 g/m ² with Coated paper) ADF: 50 to 105 g/m ²
Printing method	Colour laser beam printing		Automatic Cassette: A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm 60 to 200 g/m ²
Print resolution	Up to 1200 x 1200 dpi	INTERFACE & SOFTWARE	
Warm-up time	Key operation available: Approx. 14 seconds or less from power on Copy Ready: Approx. 15.5 seconds or less from power on	Interface type	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
First Print Out Time	Colour approx.: 7.0 seconds or less from Cassette 71 seconds or less from Multi purpose tray Mono approx.: 7.1 seconds or less	Operating System compatibility	Windows* 11 / Windows* 10 / Windows* 8.1 / Server* 2022 / Server* 2019 / Server* 2016 / Server* 2012R2 / Server* 2012 / Server* 2008R2 / Server* 2008 Mac OS X version 10.11 & up Linux ⁵
Printer languages	MF754Cdw: UFRIL, PCL 5c ² , PCL6, Adobe® PostScript3 MF752Cdw: UFRIL, PCL 5c ² , PCL6	Network Protocol	Print: TCP/IP (LPD/Port9100/IPP/IPPS/WSD) Scan: Push Scan: File: FTP (TCP/IP), SMB3.0 (TCP/IP) E-mail/fax: SMTP (send), POP3 (receive) Pull Scan: TCP/IP Management: SNMPv1, SNMPv3 (IPv4, IPv6) Security (wired): TLS1.3, IPsec, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS) Security (wireless): Infrastructure Mode: WEP64/128 bit, WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES) Access Point Mode: WPA2-PSK(AES)
Fonts	MF754Cdw: 45 PCL fonts 136 PostScript fonts MF752Cdw: 45 PCL fonts	Software and printer management	MF Scan Utility, Remote User Interface (RUI), Department ID Management, Toner Status Tool, iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Application Library
Print margins	5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)		
Toner saver mode	Yes		
Advanced printing features	Encrypted Secure Print Secure Print Print from USB memory key (JPEG/TIFF/PDF) Print from Cloud (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG) Microsoft Universal Print support iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app		
COPIER		GENERAL FEATURES	
Copy speed	Single sided (A4): Up to 33 ppm Double sided (A4): Up to 21.9 ipm	Recommended Monthly Print Volume	750 - 4,000 pages per month
First Copy Output Time (FCOT)	ADF (A4): Colour Approx. 8.8 seconds or less from Cassette 8.9 seconds or less from Multi purpose tray Mono Approx. 7.6 seconds or less from Cassette 8.0 seconds or less from Multi purpose tray Platen (A4): TBD	Duty cycle	Max. 50,000 pages per month ⁶
		Processor Speed	1200MHz x 2
Copy resolution	Up to 600 x 600 dpi	Memory	1GB
Copy modes	Text/Photo/Map (Default),Text/Photo/Map (quality), Printed Image, Text	Control panel	12.7 cm LCD Colour Touch Screen
Double sided copying	2-sided to 2-sided (Automatic)	Dimensions with trays (W x D x H)	425 mm x 461 mm x 430 mm
Multiple copy	Up to 999 copies	Installation space (W x D x H)	625 mm x 1,152 mm x 806 mm
Reduction / Enlargement	25-400% in 1% increments	Weight	Approx. 23.54 Kg
Other features	Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy, Reserved copy	Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)
SCANNER		Power Source	220-240V(±10%) 50/60Hz (±2Hz)
Type	Colour	Power Consumption	Maximum: Approx. 1.380 W Active printing: Approx. 580W Standby: Approx. 24.0 W Sleep mode: Approx. 0.8 W Typical Electricity Consumption (TEC): xxx kWh/week ⁶ (230V) For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx
Scan resolution	Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi	Noise Levels	Sound Pressure ⁷ : Active: Simplex xx dB / Duplex xx dB Standby: xx dB Sound Power ⁸ : Active: Simplex xxdB or less / Duplex xxdB or less Standby: xxdB or less
Scan speed	Single sided mono: 50ipm (300x300dpi) Single sided colour: 40ipm (300x300dpi) Double sided mono: 100ipm (300x300dpi) Double sided colour: 80ipm (300x300dpi) Single sided mono: 40ipm (300x600dpi) Single sided colour: 20ipm (300x600dpi) Double sided mono: 80ipm (300x600dpi) Double sided colour: 40ipm (300x600dpi)	CONSUMABLES	
Colour scanning depth	24 bit/24 bit (input/output)	Cartridges	Cartridge 069 Black (2,000 pages ⁹) Cartridge 069H Black (7,500 pages ⁹) Cartridge 069 Cyan (1,800 pages ⁹) Cartridge 069H Cyan (5,500 pages ⁹) Cartridge 069 Magenta (1,800 pages ⁹) Cartridge 069H Magenta (5,500 pages ⁹) Cartridge 069 Yellow (1,800 pages ⁹) Cartridge 069H Yellow (5,500 pages ⁹)
Greyscales	256 levels	ACCESSORIES/ OPTIONS	
Compatibility	TWAIN , WIA, ICA	Items	MF754Cdw: PAPER FEEDER PF-K1 (550-sheet cassette) TEL 6 Kit Long Cord (Telephone handset) MF752Cdw: PAPER FEEDER PF-K1 (550-sheet cassette)
Max. scan width	216mm		
Scan to E-mail	TIFF/JPEG/PDF/Compact PDF/Searchable PDF		
Scan to PC			
Scan to USB memory key			
Scan to FTP			
Scan to Cloud¹	TIFF/JPEG/PDF/PNG ²		
IFAX	ITU-T.37		
FAX			
Modem speed	MF754Cdw ONLY 33.6 Kbps (Up to 3 seconds/page ³)		
Receive mode	Fax only, Fax/Tel Auto Switch, Answer Mode, Manual		
Fax resolution	Standard: 200 x 100 dpi Fine: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi		
FAX memory	Up to 512 pages ⁴		
Speed dials	Up to 281 dials		
Group dials/destinations	Max. 299 dials / Max. 299 destinations		
Sequential broadcast	Max. 310 destinations		
Memory backup	Permanent fax memory backup (Backup with flash memory)		
Double sided faxing	Yes (Transmit and Receive)		
Other features	Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports		
MEDIA HANDLING			
Scanner type	Platen, 2-sided ADF (single pass)		
Paper input (Standard)	250-sheet cassette 50-sheet multi-purpose tray 50-sheet ADF		
Paper input (Option)	550-sheet cassette		
Maximum paper input capacity	850-sheet cassette		
Paper output	150-sheet		
Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Label, Post card, Envelope		

Notes:

- Subscription to a third party cloud service is required, and subject to their party terms and conditions.
- Commands supported only. Third party driver or direct printing from application required.
- Scan by MF Scan Utility or Canon PRINT Business
- Based on ITU-T Standard Chart No. 1
- Web distribution only. Linux support printing only.
- Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product.
- Declared noise emission in accordance with ISO 9296
- Based on ISO/IEC 19798
- Printer ships with Black: 2,000 pages, C/M/Y: 1,200 pages starter cartridges
- As per US ENERGY STAR[®] version3.0.

OPTIMAL PRINT AND SCAN PRODUCTIVITY FROM A COLOUR MULTI-FUNCTION PRINTER WITH DIRECT CLOUD CONNECTIVITY

Designed for small businesses or individuals, the Canon i-SENSYS MF750 Series delivers optimised productivity for printing and scanning.



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF754Cdw	5455C009AA	4549292193152
i-SENSYS MF752Cdw	5455C012AA	4549292193176

ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
PAPER FEEDER PF-K1	5693C001AA	4549292201086
Telephone 6 Kit EU (CW)	0752A054AA	4960999453910
Telephone 6 Kit UK (CW)	0752A053AA	4960999453897
Telephone 6 Kit SA (CW)	0752A055AA	4960999453927

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 069 Black	5094C002AA	4549292196771
Cartridge 069H Black	5098C002AA	4549292196924
Cartridge 069 Yellow	5091C002AA	4549292196689
Cartridge 069H Yellow	5095C002AA	4549292196801
Cartridge 069 Magenta	5092C002AA	4549292196719
Cartridge 069H Magenta	5096C002AA	4549292196856
Cartridge 069 Cyan	5093C002AA	4549292196740
Cartridge 069H Cyan	5097C002AA	4549292196887

Canon Inc.
canon.com

Canon Europe
canon-europe.com



UK English Edition
© Canon Europa N.V., 2022