

# COMPACT AND CONNECTED COLOUR SINGLE-FUNCTION LASER PRINTERS DRIVING HIGH PRODUCTIVITY FOR SMALL OFFICES



## i-SENSYS LBP673Cdw

The Canon i-SENSYS LBP673Cdw Series is perfect for small offices looking to increase their productivity with streamlined print processes.

### Fast printing

Accelerate your business output with print speeds of up to 33ppm A4 colour and handling of smaller media types, including cheques and receipts

### Cloud connectivity

Print documents directly from cloud storage services such as Google Drive, DropBox and OneDrive, with centralised print management from Microsoft Universal Print support



**FAST  
PRINTING**



**WIRELESS  
CONNECTIVITY**



**CLOUD  
CONNECTIVITY**



**ROBUST  
SECURITY**

### Exceptional image quality

Achieve superior colour graphics, images and texts with laser-quality printing for professional-level documents

### Robust security

Protect sensitive documents from falling into the wrong hands with Secure PIN print functionality and protect the device from malicious attacks with Verify System at Start Up

**Canon**

---

## PRINTER ENGINE

|   |   |
|---|---|
| <b>Print speed</b>                      | Single sided : Up to 33 ppm (A4)<br>Up to 60 ppm(A5-Landscape)<br>Double sided : Up to 29.5 ipm (A4)  |
| <b>Printing method</b>                  | Colour laser beam printing  |
| <b>Print quality</b>                    | Up to 1200 x 1200 dpi   |
| <b>Warm-up time</b>                     | Approx. 19.4 seconds or less from power on  |
| <b>First Page Out Time</b>              | Colour approx.: 7.1 seconds or less<br>Mono approx.: 7.1 seconds or less  |
| <b>Recommended Monthly Print Volume</b> | 750 - 4,000 pages per month   |
| <b>Duty cycle</b>                       | Max. 50,000 pages per month <sup>1</sup>  |
| <b>Print margins</b>                    | 5 mm-top, bottom, left and right  |
| <b>Advanced printing features</b>       | Encrypted Secure Print<br>Secure Print<br>Print from USB memory key (JPEG/TIFF/PDF)<br>Microsoft Universal Print support<br>iOS: AirPrint, Canon PRINT Business app<br>Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app |

## MEDIA HANDLING

|                                     |   |
|-------------------------------------|---|
| <b>Paper input (Standard)</b>       | 250-sheet cassette<br>50-sheet multi-purpose tray   |
| <b>Paper input (Option)</b>         | 550-sheet cassette  |
| <b>Maximum paper input capacity</b> | 850 sheets  |
| <b>Paper output</b>                 | 150-sheet   |
| <b>Media types</b>                  | Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Pre-punched, Label, Post card, Envelope   |
| <b>Media sizes</b>                  | Cassette (Standard):<br>A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 98 x 148 mm Max. 216.0 x 356.0 mm.<br><br>Multi-purpose tray:<br>A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76 x 127 mm Max. 216.0 x 356.0 mm.<br><br>Cassette (Optional):<br>A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Custom sizes: Min. 100 x 148 mm Max. 216.0 x 356.0 mm. |
| <b>Media weights</b>                | Cassette (standard and optional): 60 to 163 g/m <sup>2</sup> (Up to 200 g/m <sup>2</sup> with Coated paper)<br>Multi-purpose tray: 60 to 176 g/m <sup>2</sup> (Up to 200 g/m <sup>2</sup> with Coated paper)  |
| <b>Double sided printing</b>        | Automatic<br>Cassette:<br>A4, A5, A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K<br>Custom size - Min. 148 x 148 mm Max. 216.0 x 356.0 mm<br>60 to 200 g/m <sup>2</sup>   |

## GENERAL FEATURES

|                           |  |
|---------------------------|--|
| <b>Power requirements</b> | 220-240V (±10%) 50/60Hz (±2Hz)   |
| <b>Power consumption</b>  | Maximum: Approx. 1,380W or less<br>Active printing: Approx. 700 W<br>Standby: Approx. 24.0W or less<br>Sleep: Approx. 1.0 W or less<br>Typical Electricity Consumption (TEC): 0.31 kWh/week <sup>7</sup><br>For detailed information relating to Lot26 regulation, please go to: <a href="http://www.canon-europe.com/For_Work/Lot26/index.aspx">http://www.canon-europe.com/For_Work/Lot26/index.aspx</a> |

## Noise level

|  |  |
|--|--|
|  | Sound power <sup>2</sup><br>Active: 65dB or less<br>Standby: 36dB or less<br><br>Sound pressure <sup>2</sup><br>Active: Simplex 51dB (CL) / 50 dB (BW)<br>Duplex 51dB (CL) / 50dB (BW)<br>Standby: 25 dB<br>425 mm x 427 mm x 300 mm<br>Approx. 17.1 kg<br>Temperature: 10 to 30°C (50 to 86°F)<br>Humidity 20 to 80% RH (no condensation)<br>5 Line LCD, 3 LED (Job, Error, Energy saver), Buttons, 10-key numeric keypad |
|--|--|

## CONTROLLER

|                                   |   |
|-----------------------------------|---|
| <b>Processor Speed</b>            | 1200MHz x 2   |
| <b>Memory</b>                     | 1GB   |
| <b>Printer Languages</b>          | UFRII, PCL5c3, PCL6, Adobe® PostScript3   |
| <b>Fonts</b>                      | 45 PCL fonts, 136 PS fonts  |
| <b>Interface and connectivity</b> | USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection<br>Print: TCP/IP (LPD/Port9100/IPP/IPPS/WSD) |

## Network Protocol

|  |  |
|--|--|
|  | Management: SNMPv1, SNMPv3 (IPv4, IPv6)<br><br>Security :<br>TLS1.3, IPsec, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)<br>Security (wireless):<br>Infrastructure Mode:<br>WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES), WAP2-EAP(AEP)<br>Access Point Mode:<br>WPA2-PSK(AES)<br>Remote User Interface (RUI),<br>Department ID Management,<br>Toner Status Tool,<br>iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices<br>eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. |
|--|--|

## Software and Printer Management

|  |  |
|--|--|
|  | Windows® 11 / Windows® 10 / Windows® 8.1 / Server® 2022 / Server® 2019 / Server® 2016 / Server® 2012R2 / Server® 2012<br>Mac OS X version 10.12 & up<br>Linux <sup>4</sup> |
|--|--|

## CONSUMABLES

|                              |  |
|------------------------------|--|
| <b>All-in-One cartridges</b> | Cartridge 069 Black (2,100 pages <sup>5)</sup><br>Cartridge 069H Black (7,600 pages <sup>5)</sup><br>Cartridge 069 Cyan (1,900 pages <sup>5)</sup><br>Cartridge 069H Cyan (5,500 pages <sup>5)</sup><br>Cartridge 069 Magenta (1,900 pages <sup>5)</sup><br>Cartridge 069H Magenta (5,500 pages <sup>5)</sup><br>Cartridge 069 Yellow (1,900 pages <sup>5)</sup><br>Cartridge 069H Yellow (5,500 pages <sup>5)</sup> |
|------------------------------|--|

## ACCESSORIES/OPTIONS

|              |   |
|--------------|---|
| <b>Items</b> | PAPER FEEDER PF-K1 (550-sheet cassette) |
|--------------|---|

### Notes:

- Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- Declared noise emission in accordance with ISO 7779.  
Based on ISO9296, below figure is different.  
Active: 62dB or less
- Commands supported only. Third party driver or direct printing from application required.
- Web distribution only
- Based on ISO/IEC 19798
- Printer ships with Black: 1,200 pages, C/M/Y: 1,100 pages starter cartridges
- As per US ENERGY STAR® version 3.0

# COMPACT AND CONNECTED COLOUR SINGLE-FUNCTION LASER PRINTERS DRIVING HIGH PRODUCTIVITY FOR SMALL OFFICES

The Canon i-SENSYS LBP673Cdw Series is perfect for small offices looking to increase their productivity with streamlined print processes.



## PRODUCT DETAILS:

| PRODUCT NAME       | Mercury Code | EAN Code      |
|--------------------|--------------|---------------|
| i-SENSYS LBP673Cdw | 5693C001AA   | 4549292201086 |

## ACCESSORIES:

| PRODUCT NAME       | Mercury Code | EAN Code      |
|--------------------|--------------|---------------|
| PAPER FEEDER PF-K1 | 0732A032AA   | 4549292077278 |

## CONSUMABLES:

| PRODUCT NAME           | Mercury Code | EAN Code      |
|------------------------|--------------|---------------|
| Cartridge 069 Black    | 5094C002AA   | 4549292196771 |
| Cartridge 069H Black   | 5098C002AA   | 4549292196924 |
| Cartridge 069 Yellow   | 5091C002AA   | 4549292196689 |
| Cartridge 069H Yellow  | 5095C002AA   | 4549292196801 |
| Cartridge 069 Magenta  | 5092C002AA   | 4549292196719 |
| Cartridge 069H Magenta | 5096C002AA   | 4549292196856 |
| Cartridge 069 Cyan     | 5093C002AA   | 4549292196740 |
| Cartridge 069H Cyan    | 5097C002AA   | 4549292196887 |



**Canon Ireland**  
3006 Lake Drive  
Citywest, Saggart  
Co. Dublin, Ireland  
Telephone No: 01 2052400  
Facsimile No: 01 2052525  
canon.ie

**Canon (UK) Ltd**  
The Bower  
4 Roundwood Avenue  
Stockley Park  
Uxbridge  
UB11 1AF

**Canon Inc.**  
canon.com  
**Canon Europe**  
canon-europe.com  
English edition  
© Canon Europa N.V., 2022