DATASHEET

# SureColor SC-T5400M



## The SureColor SC-T5400M is a competitively-priced, entrylevel, 36-inch, large-format, technical printer with integrated scanner.

The SureColor SC-T5400M has been developed for those working in construction and reprographics, who value detail, precision and flexibility. It features a truly integrated scanner/copier that allows the user to scan, save and reprint old maps and blueprints, that are usually stored as hard copies.

#### Ease of use

A suite of intuitive features, and supporting software tools, make this technical printer user-friendly. These include a 4.3-inch colour LCD touch panel, Wi-Fi, direct from USB printing, borderless printing, scanning direct to email, network folder or USB.

#### Reliability

Unique Nozzle Verification Technology (NVT) helps prevent misprints. When scanning, misprints, wrinkles and shadows are eliminated, while highlighter colours are retained.

#### Affordability

Low total cost of ownership (TCO). Two-year standard warranty. 110/350 ml cartridges to increase production efficiency.

## Workflow integration

A seamless integration into your existing workflow . Epson's automatic print application supports PDF, JPEG and TIFF formats. It also supports direct print and copying without the need for a PC.

### Integrated scanner

Fast, reliable, truly integrated scanner/copier with the ability to scan up to 30.5m in length, and retain highlighted areas.

#### Quality

Whether printing CAD, GIS, architectural or engineering technical drawings, the SC-T5400M delivers stunning, borderless prints, on both matte and glossy media.

## **KEY FEATURES**

- Integrated scanner With simple, top-loading functionality
- Easy to use Intuitive features throughout
- Affordable Low TCO, two-year standard warranty, large capacity ink cartridges
- Reliable NVT helps prevents misprints
- Simple workflow integration Seamless integration into existing workflow



## PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ Print Head
All-in-One Functions	Print, Scan, Copy
Ink Technology	Ultrachrome® XD2
PRINT	
First Page Out from Ready	Monochrome 22 Seconds, Colour 22 Seconds
Colours	Black, Cyan, Yellow, Magenta
Ink tank capacity	350 ml
Minimum Droplet Size	4 pl, With Variable-Sized Droplet Technology
Nozzle Configuration	800 Nozzles black, 800 Nozzles per colour
Printing Resolution	2.400 x 1.200 dpi
PAPER / MEDIA HANDLING	
Paper Formats	A1, A2, A2+, A3+, A3, A4, B1, B2, B3, B4, B5, 17 " (43.2 cm), 24 " (61.0 cm), A0, 36 " (91.4 cm)
Print Margins Sheet Media	Mode 1: 3 mm (top), 3 mm (right), 20 mm (bottom), 3 mm (left)
Print Margins Roll Media	Mode 1: 3 mm (top), 3 mm (bottom)
Compatible Paper Thickness	
Borderless printing on	254 mm, 300 mm, 330 mm, 406 mm, 432 mm, 515 mm, 594 mm, 610 mm, 728 mm, 841 mm,
	914 mm
GENERAL	
Energy Use	38 W, 13 W (standby), 0,25 W (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1.385 x 750 x 1.060 mm (Width x Depth x Height)
Product weight	88 kg
Sound Power	Operation: 7,5 B (A)
Mobile & Cloud printing	Apple AirPrint
services Noise Level	Operation: 50 dB (A) - standby: 32 dB (A)
OTHER FEATURES	
Memory	Printer: 1 GB
Emulations Features	ESC/P-R, HP-GL2, RTL Touchscreen, Direct print from USB
OTHER	Mar OO V 40 0 0 as later Western 40 Western 7 Western 0 Western Vester Western VD
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP
•	USP 2.0. Cigabit atherast interface. Wireless I AN IEEE 202.11b/g/p.(WiEi 4). Wi Ei Direct
Interfaces	USB 3.0, Gigabit ethernet interface, Wireless LAN IEEE 802.11b/g/n (WiFi 4), Wi-Fi Direct
Interfaces Media Handling	USB 3.0, Gigabit ethernet interface, Wireless LAN IEEE 802.11b/g/n (WiFi 4), Wi-Fi Direct Auto cutter, Roll Paper
Interfaces Media Handling LCD AND MEMORY CARDS	Auto cutter, Roll Paper
Interfaces Media Handling LCD AND MEMORY CARDS	
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen	Auto cutter, Roll Paper
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN	Auto cutter, Roll Paper
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm E-mail, FTP, Network folders, USB, USB Memory Device
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS)
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document Integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new)	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical) 4,5 inch/sec ( Colour, Single-sided, 200 dpi; 7,5 inch/sec ( Monochrome, Single-sided, 200 dpi
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document Integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new)	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical)
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new) Maximum Scan Length	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical) 4,5 inch/sec ( Colour, Single-sided, 200 dpi; 7,5 inch/sec ( Monochrome, Single-sided, 200 dpi
Interfaces	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical) 4,5 inch/sec ( Colour, Single-sided, 200 dpi; 7,5 inch/sec ( Monochrome, Single-sided, 200 dpi
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new) Maximum Scan Length COPY Reduction / Enlargement	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical) 4,5 inch/sec ( Colour, Single-sided, 200 dpi; 7,5 inch/sec ( Monochrome, Single-sided, 200 dpi; 30,5 m
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new) Maximum Scan Length COPY Reduction / Enlargement Maximum number of copies	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10,9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi (Horizontal x Vertical) 4,5 inch/sec ( Colour, Single-sided, 200 dpi; 7,5 inch/sec ( Monochrome, Single-sided, 200 dpi 30,5 m 25 % - 400 %
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document Integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new) Maximum Scan Length COPY Reduction / Enlargement Maximum number of copies Thickness	Auto cutter, Roll Paper         Type: Colour, Touchscreen, Diagonal: 10,9 cm         E-mail, FTP, Network folders, USB, USB Memory Device         JPEG, TIFF, PDF         Contact image sensor (CIS)         Dual LED (RGB)         600 dpi x 600 dpi (Horizontal x Vertical)         4,5 inch/sec ( Colour, Single-sided, 200 dpi; 7,5 inch/sec ( Monochrome, Single-sided, 200 dpi 30,5 m         25 % - 400 %         99
Interfaces Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new) Maximum Scan Length COPY	Auto cutter, Roll Paper         Type: Colour, Touchscreen, Diagonal: 10,9 cm         E-mail, FTP, Network folders, USB, USB Memory Device         JPEG, TIFF, PDF         Contact image sensor (CIS)         Dual LED (RGB)         600 dpi x 600 dpi (Horizontal x Vertical)         4,5 inch/sec ( Colour, Single-sided, 200 dpi; 7,5 inch/sec ( Monochrome, Single-sided, 200 dpi 30,5 m         25 % - 400 %         99

#### SureColor SC-T5400M

## WHAT'S IN THE BOX

- Warranty document
- User manual (CD)
- AC cable
- Main unit
- Paper stacker
- Individual Ink Cartridges
- Driver and utilities (CD)
- Setup guide
- Printer stand



#### SUPPLIES

SUPPLIES	
<ul> <li>Production PP Film Matte, 914mm x 30,5m</li> </ul>	C13S045522
<ul> <li>Production Poly Textile B1 (290), 914mm x 30m</li> </ul>	C13S045525
<ul> <li>Presentation Paper HiRes 180, 610mm x 30m</li> </ul>	C13S045291
<ul> <li>Production Poly Textile B1 Light (180), 914mm x 50m</li> </ul>	C13S045524
<ul> <li>Presentation Paper HiRes 180, 914mm x 30m</li> </ul>	C13S045292
<ul> <li>Presentation Paper HiRes 120, 914mm x 30m</li> </ul>	C13S045288
<ul> <li>Singlepack UltraChrome XD2 T41R540 Black 110ml</li> </ul>	C13T41R540
<ul> <li>Singlepack UltraChrome XD2 T41R440 Yellow 110ml</li> </ul>	C13T41R440
<ul> <li>Bond Paper Bright 90, 841mm x 50m</li> </ul>	C13S045279
<ul> <li>Bond Paper Bright 90, 610mm x 50m</li> </ul>	C13S045278
<ul> <li>Bond Paper Bright 90, 594mm x 50m</li> </ul>	C13S045277
<ul> <li>Bond Paper White 80, 610mm x 50m</li> </ul>	C13S045273
<ul> <li>Bond Paper White 80, 594mm x 50m</li> </ul>	C13S045272
<ul> <li>Bond Paper Satin 90, 610mm x 50m</li> </ul>	C13S045282
<ul> <li>Bond Paper Bright 90, 914mm x 50m</li> </ul>	C13S045280
<ul> <li>Coated Paper 95, 914mm x 45m</li> </ul>	C13S045285
<ul> <li>Coated Paper 95, 610mm x 45m</li> </ul>	C13S045284
<ul> <li>Bond Paper White 80, 914mm x 50m</li> </ul>	C13S045275
<ul> <li>Bond Paper White 80, 841mm x 50m</li> </ul>	C13S045274
<ul> <li>Singlepack UltraChrome XD2 T41F540 Black 350ml</li> </ul>	C13T41F540
<ul> <li>Enhanced Adhesive Synthetic Paper Roll, 24" x 30,5 m, 135g/m{s2}</li> </ul>	C13S041617
<ul> <li>Doubleweight Matte Paper Roll, 24" x 25 m, 180g/m{s2}</li> </ul>	C13S041385
<ul> <li>Singlepack UltraChrome XD2 T41R340 Magenta 110ml</li> </ul>	C13T41R340
<ul> <li>Singlepack UltraChrome XD2 T41R240 Cyan 110ml</li> </ul>	C13T41R240
<ul> <li>Premium Semigloss Photo Paper Roll, 24" x 30,5 m, 160g/m{s2}</li> </ul>	C13S041393
<ul> <li>Premium Semigloss Photo Paper, 16,5" x 30,5 m, 160g/m{s2}</li> </ul>	C13S042075
<ul> <li>Singleweight Matte Paper Roll, 24" x 40 m, 120g/m{s2}</li> </ul>	C13S041853
<ul> <li>Singleweight Matte Paper Roll, 17" x 40 m, 120g/m{s2}</li> </ul>	C13S041746
<ul> <li>Presentation Paper HiRes 120, 610mm x 30m</li> </ul>	C13S045287
<ul> <li>Enhanced Synthetic Paper Roll, 24" x 40 m, 84g/m{s2}</li> </ul>	C13S041614
<ul> <li>Matte Backlit Film, 24" x 30,5 m, 280g/m{s2}</li> </ul>	C13S045083
<ul> <li>Premium Glossy Photo Paper Roll, 24" x 30,5 m, 166g/m{s2}</li> </ul>	C13S041390
<ul> <li>Premium Glossy Photo Paper Roll, 16" x 30,5 m, 170g/m{s2}</li> </ul>	C13S042076
<ul> <li>Auto Cutter Spare Blade S902007</li> </ul>	C13S902007
<ul> <li>Singlepack UltraChrome XD2 T41F440 Yellow 350ml</li> </ul>	C13T41F440
<ul> <li>Singlepack UltraChrome XD2 T41F340 Magenta 350ml</li> </ul>	C13T41F340
<ul> <li>Singlepack UltraChrome XD2 T41F240 Cyan 350ml</li> </ul>	C13T41F240
<ul> <li>Maintenance Box T699700</li> </ul>	C13T699700
<ul> <li>Borderless Replacement Pad Kit Tx400</li> </ul>	C13S400064
<ul> <li>Premium Luster Photo Paper, DIN A3+, 250g/m{s2}</li> </ul>	C13S041785
<ul> <li>Premium Glossy Photo Paper, DIN A2, 255g/m{s2}, 25 Sheets</li> </ul>	C13S042091
<ul> <li>Photo Quality Ink Jet Paper, DIN A3+, 102g/m{s2}, 100 Sheets</li> </ul>	C13S041069
<ul> <li>Archival Matte Paper, DIN A3, 189g/m{s2}, 50 Sheets</li> </ul>	C13S041344
<ul> <li>Archival Matte Paper, DIN A3+, 189g/m{s2}, 50 Sheets</li> </ul>	C13S041340
Archival Matte Paper - A4 - 50 Sheets	C13S041342
• Enhanced Matte Paper, DIN A3+, 192g/m{s2}, 100 Sheets	C13S041719
Enhanced Matte Paper, DIN A2, 192g/m{s2}, 50 Sheets	C13S042095
Premium Luster Photo Paper, DIN A4, 250g/m{s2}	C13S041784
Premium Semigloss Photo Paper, DIN A2, 250g/m{s2}, 25 Sheets	C13S042093
Premium Semigloss Photo Paper, DIN A3, 251g/m{s2}, 20 Sheets	C13S041334
Premium Semigloss Photo Paper, DIN A3+, 250g/m{s2}, 20 Sheets     Scheman Matter Paper, DIN A4, 100g/m[s2], 250 Sheets	C13S041328
Enhanced Matte Paper, DIN A4, 192g/m{s2}, 250 Sheets	C13S041718
Photo Quality Ink Jet Paper, DIN A2, 102g/m{s2}, 30 Sheets	C13S041079
Premium Luster Photo Paper, DIN A2, 250g/m{s2}, 25 Sheets	C13S042123
<ul> <li>Photo Quality Inkjet Paper - A4 - 100 Sheets</li> </ul>	C13S041061

#### SureColor SC-T5400M

EAN code
Country of Origin

LOGISTICS INFORMATION

Epson Norge Salgskontor: 67 11 37 70 Support/Service: 815 35 180 Forhåndssalg: 815 35 210 www.epson.no

SKU

Fjordveien 3 1363 Høvik

Varemerker og registrerte varemerker eies av Seiko Epson Corporation eller deres respektive innehavere. Produktopplysningene kan endres uten varsel.

C11CH65301A0

8715946676180

Indonesia

