

HP LaserJet Enterprise M806 Printer series



Top printing performance, great value

This A3 HP LaserJet handles big print jobs fast, with extra-large input capacity and versatile paper-handling options. Mobile printing is simple with wireless direct printing¹ and touch-to-print technology². Easy upgrades protect your investment.



Boost productivity: give workgroups the speed they need.

- Print big jobs fast at up to 56 ppm A4, and easily thanks to the extra-large input capacity of up to 4,600 pages³. Versatile paper handling options include a stapler/stacker/hole punch and booklet maker⁴.
- Simplify tasks with the right touch – equip users to fly through tasks with the large 10.9 cm (4.3-inch) colour touchscreen.
- Simplicity all around – make it easy for all to print with one common driver⁵.
- Don't wait, just print right away and save energy with Instant-on Technology.

Invest once, expand easily.

- Keep a close watch, even from afar — monitor and control printers centrally with HP Web Jetadmin⁶.
- Apply fleet-wide policies to protect all your HP devices with the HP Imaging and Printing Center⁷.
- Safeguard your printers right away with HP Instant-on Security⁸, and protect the sensitive data sent to your printer with the HP High-Performance Secure Hard Disk⁹.
- Prints with a positive ID – authenticate users at the device to help secure print jobs.

Experience greater efficiency with mobile printing.

- Mobile printing is simple with wireless direct printing¹, and enable touch-to-print convenience from a mobile device².
- Let employees print from mobile devices with built-in print capability or HP ePrint app and software¹⁰.
- Printing made Apple[®] simple – let users print wirelessly from an iPad[®], iPhone[®], or iPod touch^{®11}.



2-sided printing



Auto On/Off
Technology



Easy touchscreen



Wireless direct

Product walkaround

HP LaserJet Enterprise M806 Printer series

1. Intuitive 10.9 cm (4.3 in) colortouchscreen control panel
2. 500-page output bin
3. Hardware integration pocket (HIP) for solution integration
4. 100-sheet face-up straight-through output bin
5. Easy front-door access to HP all-in-one toner cartridge
6. Built-in automatic two-sided printing
7. Two 500-sheet input trays support media up to A3 (11 x 17 in)
8. 3,500-sheet high-capacity input tray supports A4/letter media
9. Easy-access USB port to print files directly
10. 100-sheet multipurpose tray handles media up to 220 g/m² (53 lb bond)
11. Right-side doors provide access for clearing jams
12. 800 MHz processor, 1 GB standard memory
13. HP High-Performance Secure Hard Disk
14. Access port for optional Kensington-style lock
15. USB port (for connecting third-party devices)
16. Hi-Speed USB 2.0 printing port
17. HP Jetdirect Gigabit Ethernet print server
18. Foreign interface harness (for connecting third-party devices)



Series at a glance



Model	HP LaserJet Enterprise M806dn Printer	HP LaserJet Enterprise M806x+ Printer
Product number	CZ244A	CZ245A
100-sheet multipurpose tray	Yes	Yes
Two 500-sheet A3 input trays	Yes	Yes
3,500-sheet A4/letter HCI	Optional	Yes
Booklet maker (CZ285A)*	Optional	Optional
Two-bin stapler/stacker (CZ994A)*	Optional	Optional
Two-bin stapler/stacker/hole punch (CZ996A)*	Optional	Optional
Touch-to-print and wireless direct mobile printing	Optional	Optional
HP High-Performance Secure Hard Disk	Not available	Yes

*HCI must be installed for use before adding a finishing accessory.

Accessories, Supplies and Support

Supplies	C2H57A HP LaserJet 220V Maintenance/Fuser Kit Average yield: 200,000 pages
	CF325X HP 25X High Yield Black Original LaserJet Toner Cartridge 34,500 pages (HP LaserJet M806 Printer); 40,000 pages (HP LaserJet Enterprise MFP flow M830).
Accessories	TOF27A HP LaserJet 500-sheet Output Catch Tray
	CZ994A HP LaserJet Stapler/Stacker
	C8091A HP Staple Cartridge Refill (5000 staples) for Stapler/Stacker accessories
	CC383A HP 2-pack 2000-staple Cartridge for booklet maker finisher
	C3F79A HP LaserJet 3500-sheet High-capacity Input Tray
	CZ285A HP LaserJet Booklet Maker/Finisher
	CZ996A HP LaserJet Stapler/Stacker with 2/4 hole punch
Connectivity	J8026A HP Jetdirect 2700w USB Wireless Print Server
	J8029A HP Jetdirect 2800w NFC/Wireless Direct Accessory
Service and support	U8C59E HP 3 year Next Business Day with Defective Media Retention LaserJet M806 Hardware Support
	U8C53E HP 3 year 4 hour 9x5 LaserJet Enterprise M806 Hardware Support
	U8C60E HP 4 year Next Business Day with Defective Media Retention LaserJet M806 Hardware Support
	U8C61E HP 5 year Next Business Day with Defective Media Retention LaserJet M806 Hardware Support
	U8C75PE HP 1 year Post Warranty Next Business Day with Defective Media Retention LaserJet M806 Hardware Support
	U8C72PE HP 2 year Post Warranty Next Business Day LaserJet Enterprise M806 Hardware Support
	U8C73PE HP 1 year Post Warranty 4 hour 9x5 LaserJet Enterprise M806 Hardware Support

Technical specifications

Model	HP LaserJet Enterprise M806dn Printer	HP LaserJet Enterprise M806x+ Printer
Product number	CZ244A	CZ245A
Print speed	Up to 56 ppm black (A4); Up to 56 ipm duplex (A4) Up to 28 ppm black (A3)	
First page out time	As fast as 8.5 sec black (A4, ready)	
Print resolution	Up to 1200 x 1200 dpi black	
Print technology	Laser	
Print Area	Print margins: Top: 2.0 mm; Bottom: 2.0 mm; Left: 2.0 mm; Right: 2.0 mm	
Print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, native PDF printing (v 1.4)	
Mobile printing capability	HP ePrint; Apple AirPrint™; Mobile Apps; HP Wireless Direct printing (optional)	
Monthly duty cycle	Up to 300,000 pages (A4), Recommended monthly page volume: 10,000 to 50,000	
Duplex printing	Automatic (standard)	
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	
Processor speed	800 MHz	
Display	10.9 cm colour LCD with resistive touchscreen; rotating (adjustable angle) display; illuminated capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	
Network ready	Standard (built-in Ethernet)	
Memory	Standard: 1 GB; Maximum: 1.5 GB	
Hard disk	Standard, 8 GB Solid State Drive (SSD)	320 GB HP High-Performance Secure Hard Disk (only on CZ245A)
Functions	Print	
Media types	Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough), labels, cardstock, transparencies	
Paper size	Custom metric: Tray 1: 98 x 191 to 312 x 470 mm; Tray 2/3: 148 x 210 to 297 x 431.8 mm; Optional High-capacity Input, Tray 4/5: 210 to 297 mm Supported metric: Tray 1: A3, A4, A5, RA3, B4, B5, postcards (JIS double), envelopes (DL, C5, B5); Tray 2/3: A3, A4, A5, B4, B5; Optional High-capacity Input, Tray 4/5: A4 only	Custom metric: Tray 1: 98 x 191 to 312 x 470 mm; Tray 2/3: 148 x 210 to 297 x 431.8 mm; High-capacity Input, Tray 4/5: 210 to 297 mm Supported metric: Tray 1: A3, A4, A5, RA3, B4, B5, postcards (JIS double), envelopes (DL, C5, B5); Tray 2/3: A3, A4, A5, B4, B5; High-capacity Input, Tray 4/5: A4 only
Paper handling	Standard input: Two 500-sheet input trays, 100-sheet multipurpose tray Standard output: 500 sheet face-down tray, 100 sheet face-up tray Optional/Input: Optional 3500-sheet High-capacity tray	Standard input: Two 500-sheet input trays, 100-sheet multipurpose tray, 3500-sheet High-capacity Input Tray Standard output: 500 sheet face-down tray, 100 sheet face-up tray

Model	HP LaserJet Enterprise M806dn Printer	HP LaserJet Enterprise M806x+ Printer
Product number	CZ244A	CZ245A
Input capacity	Tray 1: sheets: 100; envelopes: 100; labels: 100 Tray 2: sheets: 500; labels: small quantities Tray 3: optional High-capacity Input tray, tray 4: sheets: 1500 (A4 only), tray 5: sheets: 2000 (A4 only)	Tray 3: High-capacity Input tray, tray 4: sheets: 1500 (A4 only), tray 5: sheets: 2000 (A4 only)
Output capacity	Standard: Up to 600 sheets, Up to 100 sheets Transparencies Maximum: Up to 3,000 sheets (with optional stapler/stacker, stapler/stacker with hole punch, or stapler/stacker with booklet maker)	
Paper weight	Tray 1: 60 to 220 g/m ² ; Tray 2/3, 60 to 199 g/m ² ; Optional High-capacity Input, Tray 4/5: 60 to 199 g/m ²	
What's in the box	HP LaserJet M806dn Printer; HP Black LaserJet Toner Cartridge (~34.5K pages); Hardware Install Guide, Support flyer, Warranty card; Printer documentation and driver on CD-ROM; power cord	HP LaserJet M806x+ Printer; HP Black LaserJet Toner Cartridge (~34.5K pages); Hardware Install Guide, Support flyer, Warranty card; Printer documentation and driver on CD-ROM; power cord
Replacement cartridges	HP 25X Black LaserJet Toner Cartridge (~34,500 pages yield) CF325X	
Supported network protocols	IPv4/IPv6: Apple Bonjour (AirPrint) compatible, SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, IPP, Secure-IPP, WS Discovery, WS Print, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLIP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode Management security: SNMPv3, SSL/TLS (HTTPS), IPsec/Firewall; Port authentication (802.1x EAP-PEAP, EAP-TLS)	
Compatible operating systems	Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit); Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion; For the latest operating system support see: AirPrint™ (http://support.apple.com/kb/ht4356), Android (http://www.android.com), Citrix and Windows Terminal Services (http://www.hp.com/go/upd), HP ePrint Software Driver (http://www.hp.com/go/eprintssoftware), Linux (http://www.hplip.net), Novell (http://www.novell.com/iprint), SAP device types (http://www.hp.com/go/sap/drivers), SAP Print (http://www.hp.com/go/sap/print), UNIX (http://www.hp.com/go/unix), UNIX JetDirect (http://www.hp.com/go/jetdirectunix_software)	
Minimum system requirements	Windows: Windows 10, Windows 8, Windows 7 SP1+, Windows Vista, Windows Server 2012 (64-bit), Windows Server 2008, Windows Server 2008 R2 (64 bit), Windows Server 2003 (SP1+): 200 MB available hard disk space, CD-ROM/DVD drive or Internet connection, dedicated USB 1.1/2.0 or network connection (for OS compatible hardware system requirements see http://www.microsoft.com) Mac: Mac OS X v10.6.8, OS X 10.7.5 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com)	
Software included	HP PCL 6 Discrete Printer Driver, Mac SW Link to Web (Mac Installer), Windows Installer	
Security management	Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Secure Erase, SSL/TLS, Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions; Security Management: Compatible with HP Imaging & Printing Security Center	
Printer management	HP Web Jetadmin; HP Utility (Mac)	
Control panel	10.9 cm colour LCD with resistive touchscreen; rotating (adjustable angle) display; illuminated capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	
Printer dimensions (W x D x H)	Minimum: 1095 x 648 x 635 mm Maximum: 1390 x 648 x 655 mm	Minimum: 1095 x 715 x 1040 mm Maximum: 1390 x 715 x 1065 mm
Package dimensions (W x D x H)	856 x 760 x 978 mm	
Printer Weight	76.1 kg	108.4 kg
Package weight	88.84 kg	130.67 kg
Operating environment	Temperature: 10 to 32.5°C, Humidity: 10 to 80% RH	
Storage	Temperature: 0 to 40°C, Humidity: 10 to 90% RH	
Acoustics	Acoustic power emissions: 7.2 B(A); Acoustic pressure emissions: 55 dB(A)	
Power	Requirements: Input Voltage: 220 to 240 VAC, 50/60 Hz, 5.5 A Consumption: 1000 watts (printing), 38 watts (ready), 6.5 watts (sleep), 2.2 watts (Auto On/Auto Off), 0.3 watts (off). Typical Electricity Consumption (TEC): 4.0 kWh/Week Power supply type: Built-in power supply	
Certifications	CISPR 22:2008 / EN 55022:2010 (Class A), EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:2010; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries ENERGY STAR® qualified	
Warranty	One-year, onsite limited warranty; 24-hour support; 7 days a week phone support, Product: One year, onsite, warranty. Warranty may vary by country as required by law. Go to hp.com/support to learn about HP award winning service and support options in your region.	

Footnotes

¹ Wireless direct printing may be added as an option to the HP LaserJet Enterprise M806dn and M806x+ CZ245A. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/wirelessprinting.; ² Touch-to-print capability may be added as an option to the HP LaserJet Enterprise M806dn and M806x+ CZ245A. Mobile device must support near field communications-enabled printing.; ³ Maximum paper capacity of 4,600 sheets is standard in the HP LaserJet Enterprise M806x+ CZ245A and available in the HP LaserJet Enterprise M806dn model with the optional 3,500-sheet high-capacity input tray.; ⁴ 2 bin stapler/stacker, 2 bin stapler/stacker/hole punch and booklet maker are optional accessories. Please purchase separately.; ⁵ The HP Universal Print Driver is free and available for download at hp.com/go/upd.; ⁶ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin.; ⁷ HP Imaging and Printing Security Center must be purchased separately.; ⁸ HP Instant-on Security is part of HP Imaging and Printing Security Center, which must be purchased separately.; ⁹ HP High-Performance Secure Hard Drive is not available on the HP LaserJet Enterprise M806dn and can't be purchased separately.; ¹⁰ Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to printer. Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP Web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details.; ¹¹ Supports OS X® Lion, OS X Mountain Lion, and the following devices running iOS 4.2 or later: iPad® (all models), iPhone® (3GS or later), and iPod touch® (third generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your OS X or iOS device. Wireless performance is dependent on physical environment and distance from the access point. OS X, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the United States and other countries. AirPrint™ and the AirPrint logo are trademarks of Apple Inc.; ¹² An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 03/16 4AA4-7714EEE

